



DEPARTMENT OF HEALTH & HUMAN SERVICES

Food and Drug Administration
10903 New Hampshire Avenue
Document Mail Center – WO66-0609
Silver Spring, MD 20993-0002

Kamiya Biomedical Company
c/o Shawn Kaplan
Clinical Diagnostics Product Manager
12779 Gateway Drive,
Seattle, WA 98168, USA

Re: k093137
Trade/Device Name: K-ASSAY Cystatin C Assay
K-ASSAY Cystatin C Calibrator
K-ASSAY Cystatin C Control

Regulation Number: 21 CFR 862.1225
Regulation Name: Creatinine Test System
Regulatory Class: Class II
Product Code: NDY, JIT, JJX
Dated: September 21, 2010
Received: September 23, 2010

SEP 28 2010

Dear Mr. Kaplan

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

Page 2

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of *In Vitro* Diagnostic Device Evaluation and Safety at (301) 796-5450. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding postmarket surveillance, please contact CDRH's Office of Surveillance and Biometric's (OSB's) Division of Postmarket Surveillance at (301) 796-5760. For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-5680 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'CCH', with a long horizontal stroke extending to the right.

Courtney C. Harper, Ph.D.
Director
Division of Chemistry and Toxicology
Office of *In Vitro* Diagnostic Device
Evaluation and Safety
Center for Devices and Radiological Health

Enclosure

KAMIYA BIOMEDICAL COMPANY

12779 Gateway Drive, Seattle, WA 98168 USA

Tel: 206.575.8068

Fax: 206.575.8094

INDICATIONS FOR USE STATEMENT

510(k) Number (if known): K093137

SEP 28 2010

Device Name: Cystatin C Assay

Indications For Use:

The **K-ASSAY**[®] Cystatin C Assay is for the quantitative determination of human cystatin C in serum, EDTA plasma, or lithium heparin plasma by immunoturbidimetric assay. Cystatin C measurements are used as an aid in the diagnosis and treatment of renal diseases. FOR *IN VITRO* DIAGNOSTIC USE.

The **K-ASSAY**[®] Cystatin C Calibrator is intended to be used for the calibration of the **K-ASSAY**[®] Cystatin C Assay. FOR *IN VITRO* DIAGNOSTIC USE.

The **K-ASSAY**[®] Cystatin C Control is intended for use as an assayed quality control material for monitoring the performance of cystatin C assays.

Prescription Use ✓
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostic Devices (OIVD)

Carol C. Benson

Division Sign-Off
Office of In Vitro Diagnostic Device
Evaluation and Safety

510(k) K093137

Page 1 of 1